

# Add support for preprocessing directives `elifdef` and `elifndef`

Committee: ISO/IEC JTC1 SC22 WG21

Document Number: P2334R0

Date: 2021-03-10

Authors: Melanie Blower

Reply to: [Melanie.Blower@intel.com](mailto:Melanie.Blower@intel.com)

## Motivation

This paper is being submitted as a liaison activity from WG14 C Language Working Group. The proposal [1] was discussed in the March 2021 meeting and approved (15 in favor, 1 opposed, 4 abstentions) for inclusion into C23. This paper is being proposed to WG21 to avoid preprocessor incompatibilities with C and because the utility is valuable to C++ users of the preprocessor.

### Summary of discussion at WG14 meeting:

Arguments against:

- We have a guidelines is to keep the preprocessor stable, and have only one way of doing things.
- Prior art argument is weak

Argument for:

- Improve teachability
- One WG14 member was able to add the functionality to his compiler in 5 minutes
- Orthogonality, aesthetics
- I like saving keystrokes
- One WG14 member found an instance where a patch was reverted in `libc` because it used `#elifdef` (demonstrating that even experienced programmers can find this unexpected)
- JeanHeyd received emails from folks that were very excited we could fix this
- Melanie received an unsolicited email from a senior embedded engineer expressing same

## Introduction and Rationale

The `#ifdef` and `#ifndef` preprocessing directives exist today as shorthand for `#if defined(identifier)` and `#if !defined(identifier)`, respectively. However, no analogous shorthand preprocessing directives exist for `#elif defined(identifier)` and `#elif !defined(identifier)`. Some users have expressed surprise that these directives are not available: there are comments on the stack overflow (see <https://stackoverflow.com/questions/20729032/can-we-use-elif-in-c>, <https://stackoverflow.com/questions/9461927/invalid-preprocessing-directive-for-elseifdef-in-xcode>, <https://stackoverflow.com/questions/65138617/is-there-a-c-preprocessor-which-can-replace-contiguous-else-and-ifdef-directives>) and twitter (see <https://twitter.com/samykamkar/status/956784258164563968>) forums from newbie users discussing the absence of these preprocessing directives.

Add two new preprocessing directives `#elifdef` and `#elifndef` that exactly parallel the functionality supplied in the existing `#ifdef` and `#ifndef` directives. This improves the expressivity and predictability of the language, especially for new users.

Note that these directives do not add any new, problematic combinations of conditional inclusion directives. e.g., this code is fine:

```
#if FOO
#elifdef BAR
#else
#endif
```

by the same reasoning that this code is already fine today:

```
#ifdef BAR
#elif FOO
#else
#endif
```

## Prior Art

The major C and C++ compilers do not support these directives but since it is a straightforward extension of the existing capability it is certain to be simple to implement. There is some prior art that's adjacent to C and C++: [software.hixie.ch](http://software.hixie.ch) provides a C-like preprocessor with `#elifdef` and `#elifndef` support, [pikt.org](http://pikt.org) provides tools for Linux administration and includes a file preprocessor that supports `#elifdef` and `#elifndef`. There are other tools such as `lypp`, a Lex Yacc preprocessor that supports `%elifdef` and `%elifndef`, and `gpp`, a generic preprocessor.

<https://software.hixie.ch/utilities/unix/preprocessor/>  
[http://pikt.org/pikt/ref/ref.3.ifdef\\_endifdef\\_define\\_setdef.html](http://pikt.org/pikt/ref/ref.3.ifdef_endifdef_define_setdef.html)  
<https://github.com/trixirt/lypp>  
<https://docs.rs/gpp/0.6.0/gpp/>

Note that `#ifdef` has been present since C89.

## Proposed Wording

The wording proposed is a diff from WG21 N4878 **Green** text is new text, while **red**-text is deleted text.

In [cpp.pre]p. 1, modify *elif-group*:

*elif-group*:

```
# elif constant-expression new-line groupopt  
# elifdef identifier new-line groupopt  
# elifndef identifier new-line groupopt
```

In [cpp.cond]p. 7, modify the first sentence as follows:

The `#ifdef`, **and** `#ifndef`, **#elifdef**, **and** `#elifndef` directives, and the defined conditional inclusion operator, shall treat `__has_include` and `__has_cpp_attribute` as if they were the names of defined macros.

Modify [cpp.cond]p. 13:

Preprocessing directives of the forms

```
# ifdef identifier new-line groupopt  
# ifndef identifier new-line groupopt  
# elifdef identifier new-line groupopt  
# elifndef identifier new-line groupopt
```

check whether the identifier is or is not currently defined as a macro name. Their conditions are equivalent to `#if defined identifier`, **and** `#if !defined identifier`, `#elif defined identifier`, and `#elif !defined identifier` respectively.

## References

[1] <http://www.open-std.org/jtc1/sc22/wg14/www/docs/n2645.pdf> Add support for preprocessing directives `elifdef` and `elifndef`